## **Emacs Commands**

| <b>Edit Command</b>            |         | split this window vertically                        | C-x 3            | convolute this sexp with outer sexp      | M-?                 |
|--------------------------------|---------|---|------------------|--|---------------------|
| abort                          | C-g     | Formatting  |                  | this sexp swallow a term forward         | C- <right></right>  |
| undo                           | C-/     | insert newline after this point                     | C-o              | this sexp spit out a term forward        | C- <left></left>    |
| Searching                      |         | delete blank lines around this point                | C-x C-o          | this sexp swallow a term backward        | C-(                 |
| search forward                 | C-s     | join this line with previous one                    | M-^              | this sexp spit out a term backward       | C-{                 |
| search backward                | C-r     | put exactly one space at this point                 | M-SPC            | Run                                      |                     |
| Moving                         |         | delete all white space around this point            | M-\              | evaluate the last s-expression           | <f5></f5>           |
| enlarge font size              | C-x C-+ | auto complete or expand                             | M-/              | evaluate the last definition             | <f6></f6>           |
| reduce font size               | C-x C   | uppercase this word                                 | M-u              | evaluate the selection                   | <f7></f7>           |
| move forward a word            | M-f     | lowercase this word                                 | M-1              | <b>Multi-Chars</b>                       |                     |
| move backward a word           | M-b     | capitalize word                                     | M-c              | insert <char> for &lt;#&gt; times</char> | C-<#> <char></char> |
| move forward a sexp            | C-M-f   | uppercase selected region                           | C-x C-u          | Replacing                                |                     |
| move backward a sexp           | C-M-b   | lowercase selected region                           | C-x C-1          | query replace                            | M-% str str         |
| move forward a definition      | C-M-e   | Swapping  |                  | - replace once                           | У                   |
| move backward a definition     | C-M-a   | swap this line with previous one                    | C-x C-t          | - skip                                   | n                   |
| go to buffer end               | M-<     | swap this sexp with previous one                    | C-M-t            | - replace all                            | !                   |
| go to buffer beginning         | M->     | Copy and Paste                                      |                  |  |                     |
| goto line                      | M-g     | copy selected region to register                    | C-c C-c *        |  |                     |
| Deleting                       |         | insert register content to buffer                   | C-c C-v *        |  |                     |
| delete forward a word          | M-d     | Paredit Command                                     |                  |  |                     |
| delete backward a word         | M-DEL   | insert a pair of parens                             | (                |  |                     |
| delete forward to line end     | C-k     | move out of this sexp                               | )                |  |                     |
| delete backward to line font   | C-0 C-k | move out of this sexp and insert a line             | M-)              |  |                     |
| delete forward a sexp          | C-M-k   | wrap this term with a pair of parens                | M-(              |  |                     |
| delete backward a sexp         | M C-M-k | insert a pair of double quotes                      | "                |  |                     |
| delete selected region         | C-w     | wrap this term with a pair of double quotes         | M – ''           |  |                     |
| Seleting                       |         | move forward into a sexp                            | C-M-d            |  |                     |
| start to select                | C-SPC   | move forward out of a sexp                          | C-M-n            |  |                     |
| select a sexp                  | C-M-SPC | move backward into a sexp                           | C-M-p            |  |                     |
| select a definition            | C-M-h   | move backward out of a sexp                         | C-M-u            |  |                     |
| Window Command                 |         | delete the parens of this sexp                      | M-s              |  |                     |
| delete this window             | C-x 0   | delete the parens of this sexp and forward          | M- <up></up>     |  |                     |
| delete all other window        | C-x 1   | delete the parens of this sexp and backward         | M- <down></down> |  |                     |
| split this window horizontally | C-x 2   | delete all around this term in this sexp and parens | M-r              |  |                     |